

Manufacturer List

CR	Corbin Russwin
HS	HES
MC	McKinney
NO	Norton
PE	Pemko
RO	Rockwood
SN	Securitron

Finish List

26D	Satin Chrome
32D	Satin Stainless Steel
626	Satin Chromium Plated
630	Satin Stainless Steel
689	Aluminum Painted
CLEAR	Clear
US26D	Chromium Plated, Dull
US32D	Stainless Steel, Dull

Hardware Sets

SET #1.0 - Aluminum Storefront Entrance Doors

- Doors: 101A

2	Continuous Hinge	K-MCK-12HD 83" x SER12	CLEAR	MC
1	Exit Device	ED4800M x K157 x 6P x L4 x M110 x M92 x MELR x MK 630	630	CR
1	Exit Device	ED4800M x M110 x M92	630	CR
2	Door Pull	RM3300 48" OA. CTC TYPE 12XHD FASTENING	US32D	RO
1	Closer	UNI-7500	689	NO
1	PowerMatic Operator	6060 D	689	NO
1	Drop Plate	7788	689	NO
1	Door Switch	505		NO
1	Power Supply	AQD2		SN
2	ElectroLynx Harness	QC-C012P		MC
1	Vestibule Switch	504		NO

- NOTE: Balance of Hardware to be Supplied by Aluminum Storefront Supplier. Card Reader and Door Position Indicator are to be furnished by Owner/Security Contractor. Request to Exit (REX) in the form of Touchbar Monitoring is included in the Exit Device's Touch Pad. Wiring and coordination by others.

201556 : Evergreen Family & Women's Health

SET #2.0 - Interior Aluminum Vestibule Door

- Doors: 101B

2	Continuous Hinge	K-MCK-12HD 83"	CLEAR	MC
2	Dummy Bar	ED5000DB	630	CR
2	Door Pull	RM3300 48" OA. CTC TYPE 12XHD FASTENING	US32D	RO
1	Closer	UNI-7500	689	NO
1	PowerMatic Operator	6060 D	689	NO
1	Drop Plate	7788	689	NO
1	Door Switch	505		NO

- NOTE: Balance of Hardware by Aluminum Storefront Supplier.

SET #3.0 - Exterior Exit Pair

- Doors: 148A

2	Continuous Hinge	K-MCK-12HD 95" x SER12	CLEAR	MC
1	Exit Device	ED4800MA x K157 x 6P x L4 x M110 x M92 x MELR x MK	630	CR
1	Exit Device	ED4800MA x M110 x M92	630	CR
2	Door Pull	RM3300 48" OA. CTC TYPE 12XHD FASTENING	US32D	RO
2	PowerMatic Operator	6060 D	689	NO
2	Door Switch	505		NO
1	Power Supply	AQD2		SN
2	ElectroLynx Harness	QC-C012P		MC

- NOTE: Balance of Hardware by Aluminum Storefront Supplier. Card Reader and Door Position Indicator are to be furnished by Owner/Security Contractor. Request to Exit (REX) in the form of Touchbar Monitoring is included in the Exit Device's Touch Pad. Wiring and coordination by others.

SET #4.0 - Exterior HM Exit Doors with Latch Retraction

- Doors: 155C, 156, S1

2	Hinges	T4A3386 4 1/2 X 4 1/2 NRP	32D	MC
1	Electric Hinge	T4A3386 4 1/2 X 4 1/2 QC12	32D	MC
1	Exit Device	ED5200 x PR959 x 6P x L4 x M110 x M92 x MELR x MK	630	CR
1	Closer	UNI-7500	689	NO
1	Protection Plate	K1050 10" x 34"	US32D	RO
1	Power Supply	AQD2		SN
1	ElectroLynx Harness	QC-C012P		MC
1	Smoke Seal	PK 55 BL 17'		PE
1	Raindrip	346 C 40"		PE
1	Door Bottom	345 AV 36"		PE
1	Threshold	2727 A 36" WSL10		PE

- NOTE: Card Reader and Door Position Indicator are to be furnished by Owner/Security Contractor. Request to Exit (REX) in the form of Touchbar Monitoring is included in the Exit Device's Touch Pad. Wiring and coordination by others.

201556 : Evergreen Family & Women's Health

SET #5.0 - Shower Doors

- Doors: 163A, 165A

3 Hinges	T4A3386 4 1/2 X 4 1/2 NRP	32D	MC
1 Privacy Set	ML2030 PSA x M19VN x SA114	626	CR
1 Emergency Key	398F438	N/A	CRPT
1 Closer	PR7500 SRI	689	NO
1 Protection Plate	K1050 10" x 34"	US32D	RO
1 Smoke Seal	PK 55 BL 17'		PE

SET #6.0 - Exterior Storage Room Doors

- Doors: 152, 154, 265B, M1

3 Hinges	T4A3386 4 1/2 X 4 1/2 NRP	32D	MC
1 Lockset	ML2059 PSA x L4 x MK x SA114	630	CR
1 Closer	UNI-7500	689	NO
1 Protection Plate	K1050 10" x 34"	US32D	RO
1 Smoke Seal	PK 55 BL 17'		PE
1 Raindrip	346 C 40"		PE
1 Door Bottom	345 AV 36"		PE
1 Threshold	2727 A 36" WSL10		PE

SET #7.0 - Exterior Receiving Man Door

- Doors: 153A

3 Hinges	T4A3386 4 1/2 X 4 1/2 NRP	32D	MC
1 Lockset	ML2059 PSA x L4 x MK x SA114	630	CR
1 Closer w/ Hold-Open	UNI-7500 H	689	NO
1 Protection Plate	K1050 10" x 34"	US32D	RO
1 Smoke Seal	PK 55 BL 17'		PE
1 Raindrip	346 C 40"		PE
1 Door Bottom	345 AV 36"		PE
1 Threshold	2727 A 36" WSL10		PE

201556 : Evergreen Family & Women's Health

SET #8.0 - Exterior Cage & Storage Room Pair

- Doors: 132A

6 Hinges	T4A3386 4 1/2 X 4 1/2 NRP	32D	MC
1 Set Flush Bolts	2845	US32D	RO
1 Lockset	ML2059 PSA x L4 x MK x SA114	630	CR
1 Coordinator	2672	BLK	RO
2 Closer w/ Hold-Open	UNI-7500 H	689	NO
2 Protection Plate	K1050 10" x 35"	US32D	RO
1 Dust Proof Strike	570	US26D	RO
2 Mounting Bracket	2601C	BLK	RO
1 Smoke Seal	PK 55 BL 20'		PE
1 Astragal Seal	S44 BL 17'		PE
1 Raindrip	346 C 76"		PE
2 Door Bottom	345 AV 36"		PE
1 Threshold	2727 A 72" WSL10		PE

- NOTE: Overlapping Astragal by Hollow Metal Door Manufacturer.

SET #9.0 - Exterior Rollup Door By Others

- Doors: 153B

- NOTE: All hardware will be provided by the door manufacturer.

SET #10.0 - Interior Stairwell Door with Exit Device

- Doors: S2

3 Hinges	T4A3786 4 1/2 X 4 1/2 NRP	26D	MC
1 Fire Exit Device	ED5200A x PR910 M110	630	CR
1 Closer	PR7500	689	NO
1 Protection Plate	K1050 10" x 34"	US32D	RO
1 Wall Bumper	409	US32D	RO
1 Smoke Seal	PK 55 BL 17'		PE

SET #11.0 - Single Entry Doors with Access Control

- Doors: 102A, 114B, 151B, 155B, 201, 259A, 259B

3 Hinges	T4A3786 4 1/2 X 4 1/2 NRP	26D	MC
1 Lockset	CL3357 PZD L4 MK	626	CR
1 Electric Strike	1600-CLB	630	HS
1 Closer	7500	689	NO
1 Protection Plate	K1050 10" x 34"	US32D	RO
1 Wall Bumper	409	US32D	RO
1 Controller	2005M3		HS
1 Smoke Seal	PK 55 BL 17'		PE

- NOTE: Card Reader, Door Position Indicator, and Request to Exit Switch are to be furnished by Owner/Security Contractor. Wiring and coordination by others.

201556 : Evergreen Family & Women's Health

SET #12.0 - AD Systems Sliding Doors

- Doors: 104A, 104B, 117, 118, 119, 120, 121, 125, 126, 128, 129, 131, 133B, 135, 137, 138, 139, 140, 143, 144, 145, 146, 149, 157, 209, 210, 211, 212, 213, 218, 219, 220, 221, 228, 229, 230, 231, 232, 235, 236, 238, 239, 240

1 Door Pull	RM3300 24" OA. CTC	US32D	RO
1 Door Pull	RM3300 24" OA. CTC TYPE 5HD FASTENING	US32D	RO

- NOTE: All Sliding Door Hardware including (but limited to) hangers, floor guide, aluminum track and surround to be provided by AD Systems. Wood Door and Pull Handles shown above to be provided by door supplier.

SET #13.0 - 2nd Floor Exits from Conference Area

- Doors: 247A, 248A

3 Hinges	T4A3786 4 1/2 X 4 1/2 NRP	26D	MC
1 Exit Device	ED5200 x PR955 6P L4 M110	630	CR
1 Closer	PR7500	689	NO
1 Protection Plate	K1050 10" x 34"	US32D	RO
1 Wall Bumper	409	US32D	RO

SET #14.0 - Wrapped Drywall Opening (NO D/F/H)

- Doors: 103C, 103D, 247B, 249B, 252C, 252D

- NOTE: Openings are Cased Drywall. No Door, Frame, or Hardware for these openings.

SET #15.0 - DBL Egress Hallway Entry/Exit Pairs

- Doors: 114A, 134A, 208, 224

4 Hinges	T4A3786 4 1/2 X 4 1/2 NRP	26D	MC
2 Electric Hinge	T4A3786 4 1/2 x 4 1/2 QC12	26D	MC
2 Fire Exit Device	ED5860B M110 M92 MELR	630	CR
1 Magnalock	M62B	US32D	SN
1 PowerMatic Operator -Push Side	6070	689	NO
1 PowerMatic Operator -Pull Side	6050	689	NO
2 Protection Plate	K1050 10" x 35"	US32D	RO
2 Wall Bumper	409	US32D	RO
2 Door Switch	505		NO
1 Power Supply	AQD2		SN
2 ElectroLynx Harness	QC-C012P		MC
2 Weatherstrip	18041 CNB 84"		PE
1 Smoke Seal	PK 55 BL 20'		PE

- NOTE: Card Reader and Door Position Indicator are to be furnished by Owner/Security Contractor. Request to Exit (REX) in the form of Touchbar Monitoring is included in the Exit Device's Touch Pad. Wiring and coordination by others. M62B to be mounted on hallway side in order to lock the RH door if traveling from the Lobby to the treatment area. Magnet to release in case of fire alarm (Fail Safe)

201556 : Evergreen Family & Women's Health

SET #16.0 - Doctor's Offices, Admin Offices, & Conf

- Doors: 103A, 103B, 110, 111, 112, 113, 115, 123, 127, 133A, 141, 147, 158, 203, 204, 205, 206, 214, 215, 216, 233, 234, 237, 249A, 252A, 252B

3 Hinges	T4A3786 4 1/2 X 4 1/2	26D	MC
1 Lockset	CL3351 PZD L4 MK	626	CR
1 Wall Bumper	409	US32D	RO
1 Smoke Seal	PK 55 BL 17'		PE

SET #17.0 - Storage Rooms

- Doors: 102B, 106, 130, 132B, 161, 217, 242, 250

3 Hinges	T4A3786 4 1/2 X 4 1/2 NRP	26D	MC
1 Lockset	CL3357 PZD L4 MK	626	CR
1 Wall Bumper	409	US32D	RO
1 Smoke Seal	PK 55 BL 17'		PE

SET #18.0 - Mortise Locks with Indicators

- Doors: 108, 109, 122, 142, 162, 202, 207, 222, 226, 251

3 Hinges	T4A3786 4 1/2 X 4 1/2	26D	MC
1 Privacy Set	ML2030 PSA M19VN SA114	626	CR
1 Emergency Key	398F438	N/A	CRPT
1 Closer	7500	689	NO
1 Protection Plate	K1050 10" x 34"	US32D	RO
1 Wall Bumper	409	US32D	RO
1 Smoke Seal	PK 55 BL 17'		PE

SET #19.0 - Multi-Occupant RR with Push/Pulls

- Doors: 163, 165, 243, 245

3 Hinges	T4A3786 4 1/2 X 4 1/2	26D	MC
1 Door Pull	110 X 70C	US32D	RO
1 Push Plate	70C-RKW 4 X 16	US32D	RO
1 Closer	7500	689	NO
1 Protection Plate	K1050 10" x 34"	US32D	RO
1 Wall Bumper	409	US32D	RO
1 Smoke Seal	PK 55 BL 17'		PE

201556 : Evergreen Family & Women's Health

SET #20.0 - Passage Sets

- Doors: 241

3 Hinges	T4A3786 4 1/2 X 4 1/2	26D	MC
1 Passage Set	CL3310 PZD	626	CR
1 Wall Bumper	409	US32D	RO
1 Smoke Seal	PK 55 BL 17'		PE

SET #21.0 - Panic Devices with Access Control

- Doors: 148B, 155A, 265A

2 Hinges	T4A3786 4 1/2 X 4 1/2 NRP	26D	MC
1 Electric Hinge	T4A3786 4 1/2 x 4 1/2 QC12	26D	MC
1 Fire Exit Device	ED5200A x PR959 6P L4 M110 M92 MELR	630	CR
1 Closer	PR7500	689	NO
1 Protection Plate	K1050 10" x 34"	US32D	RO
1 Wall Bumper	409	US32D	RO
1 Power Supply	AQD2		SN
1 ElectroLynx Harness	QC-C012P		MC
1 Smoke Seal	PK 55 BL 17'		PE

SET #22.0 - Fire Rated Exit Pair with DBL Operator

- Doors: 114C

4 Hinges	T4A3786 4 1/2 X 4 1/2 NRP	26D	MC
2 Electric Hinge	T4A3786 4 1/2 x 4 1/2 QC12	26D	MC
1 Elect. Exit Device w/Trim	ED5470B x PR955 M110 M55 M92 MELR	630	CR
1 Exit Device w/Trim	ED5470B x PR955 M110 M55 M92	630	CR
2 PowerMatic Operator	6060	689	NO
2 Protection Plate	K1050 10" x 35"	US32D	RO
2 Wall Bumper	409	US32D	RO
2 Door Switch	505		NO
1 Power Supply	AQD2		SN
2 ElectroLynx Harness	QC-C012P		MC
2 Weatherstrip	18041 CNB 84"		PE
1 Smoke Seal	PK 55 BL 20'		PE

SET #23.0 - Fire Rated Closet Door Bio Waste

- Doors: 150

3 Hinges	T4A3786 4 1/2 X 4 1/2 NRP	26D	MC
1 Lockset	CL3357 PZD L4 MK	626	CR
1 Closer w/Stop Arm	CLP-7500	689	NO
1 Protection Plate	K1050 10" x 34"	US32D	RO
1 Smoke Seal	PK 55 BL 17'		PE